

Alternative Labs
4740 S Cleveland Ave

Fort Myers, FL, 33907

Certificate ID # : 1104533-6
Report Date: 03-09-2023
Customer PO # : 11755
Receipt Date: 03-07-2023
Sample Completion Date: 03-09-2023

Analytical Testing Results

Lab Sample ID: S-20230306-1210
Customer Lot # A09727436-1

Serving Size: 0 g
Calculated Serving Size:

Description: LIVE GOOD - ORGANIC SUPER
GREENS 30 servings

Test Method Description	Analyte	Specification	Result	U/M	Completion Date
GL-500 Determination of Arsenic by ICP*	Arsenic (As)	<1.0	0.139	ppm	03-08-23
GL-500 Determination of Cadmium by ICP*	Cadmium (Cd)	<1.0	0.150	ppm	03-08-23
GL-500 Determination of Lead by ICP*	Lead (Pb)	<0.5	0.157	ppm	03-08-23
GL-500 Determination of Mercury by ICP*	Mercury (Hg)	<0.1	0.0101	ppm	03-09-23

Laboratory Comments:
N/A

Reviewed By: Sabrina Walton

Approved By: 

Date: 03-09-2023

Edgar Grigorian, Laboratory Director
On Behalf of Dyad Labs

Laboratory Notes:

Samples were received in acceptable condition unless otherwise noted in the laboratory comments section. This report may not be distributed or reproduced except in full, without written permission from Dyad Labs. Client shall not at any time misrepresent or alter the contents of this report. Any violation of these conditions voids this report. Dyad Labs assumes no responsibility, and client hereby waives all claims against Dyad Labs, for interpretation of such results. The results apply only to the sample(s) provided by the client. All work is done in accordance with Dyad Labs Terms and Conditions of Sale. Full text available on www.dyadlabs.com/Terms. ISO/IEC 17025:2017 accreditation #71216, certificate #L21-39. The validity of this accreditation certificate should be confirmed through the PJLA website: www.pjla.com.

* - ISO/IEC 17025:2017 Accredited Test