



Certificate of Analysis

Product Name:	Custom Shilajit +Sea Moss Capsule
SKU#	101868
Lot No:	11152024087
Manufacturing Date	06/2024
Best By Date	06/2026
Weight Variation	Limit: 609 mg/capsule± 10 % (548.10 mg - 669.90 mg) Result: 615 mg
Serving Size	2 Capsules

Each Serving Contains:

Test Items	Label Claim/Serving	Test Results	Test Methods
Shilajit 50% Fulvic Acid	NLT 500 mg	500 mg	PPC-FTIR
Organic Irish Sea Moss	NLT 500 mg	500 mg	PPC-FTIR

Other Ingredients: Vegetable Capsule, Organic Rice Hulls.

MICROBIOLOGY	Specifications	Test Results	Test Methods
Total aerobic count	NMT 10,000 cfu/g	90 cfu/g	USP
Total Yeast & Mold Count	NMT 1,000 cfu/g	40 cfu/g	USP
Salmonella Species	Negative	Negative	USP
E. Coli	Negative	Negative	USP
Staphylococcus aureus	Negative	Negative	USP

IMPURITIES	Specifications	Test Results	Test Methods
Arsenic (As)	NMT 3 mcg/unit	<0.0001 mcg/unit	ICP-MS
Cadmium (Cd)	NMT 3 mcg/unit	0.0020 mcg/unit	ICP-MS
Lead (Pb)	NMT 10 mcg/unit	0.0510 mcg/unit	ICP-MS
Mercury (Hg)	NMT 3 mcg/unit	<0.0001 mcg/unit	ICP-MS

Report Date:9/6/2024

Barbaro Guerrero

Quality Control Manager